

250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

mung.	18/11/2024	Date of compilat	1011. 24/05/2025	Revised: 08/06/2023	Version: 8 (Replaced 7)
SEC	TION 1: IDENTI	FICATION OF	THE SUBSTAN	CE/MIXTURE AND OF	THE COMPANY/UNDERTAKING
1.1	Product identifie	r:	250107025/2	250107660 - SHUDIM MEE	NUM A35 (A) 2.5 KG/660 GR
	Other means of	dentification:			
	Not relevant				
1.2	Relevant identifi	ed uses of the s	substance or mixtu	re and uses advised agai	nst:
	Relevant uses: A	nimal care produc	ct: Hoofpacking for h	norse hoof. For professiona	l users only.
	Uses advised aga	inst: All uses not	t specified in this see	ction or in section 7.3	
1.3	Details of the su	pplier of the saf	ety data sheet:		
	Glue-U Adhesives Droogdokkeneilar 5026 SR Tilburg - Phone: +31 (0)13 info@glue-u.com www.glue-u.com	nd 8 The Netherlands	S		
			Marilla al Tarris al ann		
1.4 SEC				Unit, +44 20 7188 7188	
	TION 2: HAZAR Classification of	DS IDENTIFIC	CATION	Unit, +44 20 7188 7188	
SEC	TION 2: HAZAR Classification of	DS IDENTIFIC	CATION		
SEC	TION 2: HAZAR Classification of GB CLP Regulat	DS IDENTIFIC the substance of ion (UK S.I. 2019	CATION or mixture: 9/720 and UK S.I. 2	020/1567):	S.I. 2019/720 and UK S.I. 2020/1567).
SEC	TION 2: HAZAR Classification of GB CLP Regulat	DS IDENTIFIC the substance of ion (UK S.I. 2019	CATION or mixture: 9/720 and UK S.I. 2	020/1567):	S.I. 2019/720 and UK S.I. 2020/1567).
SEC 2.1	TION 2: HAZAR Classification of GB CLP Regulat The product is no Label elements:	DS IDENTIFIC the substance of ion (UK S.I. 2019 of classified as ha	CATION or mixture: 9/720 and UK S.I. 2	020/1567): to GB CLP Regulation (UK	S.I. 2019/720 and UK S.I. 2020/1567).
SEC 2.1	TION 2: HAZAR Classification of GB CLP Regulat The product is no Label elements:	DS IDENTIFIC the substance of ion (UK S.I. 2019 of classified as ha ion (UK S.I. 2019	CATION or mixture: 9/720 and UK S.I. 2 azardous according f	020/1567): to GB CLP Regulation (UK	S.I. 2019/720 and UK S.I. 2020/1567).
SEC 2.1	TION 2: HAZAR Classification of GB CLP Regulat The product is no Label elements: GB CLP Regulat Hazard statemen Not relevant	DS IDENTIFIC the substance of ion (UK S.I. 2019 of classified as ha ion (UK S.I. 2019 nts:	CATION or mixture: 9/720 and UK S.I. 2 azardous according f	020/1567): to GB CLP Regulation (UK	S.I. 2019/720 and UK S.I. 2020/1567).
SEC 2.1	TION 2: HAZAR Classification of GB CLP Regulat The product is no Label elements: GB CLP Regulat Hazard statemen Not relevant Precautionary s	DS IDENTIFIC the substance of ion (UK S.I. 2019 of classified as ha ion (UK S.I. 2019 nts:	CATION or mixture: 9/720 and UK S.I. 2 azardous according f	020/1567): to GB CLP Regulation (UK	S.I. 2019/720 and UK S.I. 2020/1567).
SEC 2.1	TION 2: HAZAR Classification of GB CLP Regulat The product is no Label elements: GB CLP Regulat Hazard statemen Not relevant Precautionary s Not relevant	DS IDENTIFIC the substance of ion (UK S.I. 2019 of classified as ha ion (UK S.I. 2019 nts: tatements:	CATION or mixture: 9/720 and UK S.I. 2 azardous according f	020/1567): to GB CLP Regulation (UK	S.I. 2019/720 and UK S.I. 2020/1567).
SEC 2.1	TION 2: HAZAR Classification of GB CLP Regulat The product is no Label elements: GB CLP Regulat Hazard stateme Not relevant Precautionary s Not relevant Supplementary	DS IDENTIFIC the substance of ion (UK S.I. 2019 of classified as ha ion (UK S.I. 2019 nts: tatements:	CATION or mixture: 9/720 and UK S.I. 2 azardous according f 9/720 and UK S.I. 2	020/1567): to GB CLP Regulation (UK	S.I. 2019/720 and UK S.I. 2020/1567).
SEC 2.1 2.2	TION 2: HAZAR Classification of GB CLP Regulat The product is no Label elements: GB CLP Regulat Hazard statemen Not relevant Precautionary s Not relevant Supplementary EUH210: Safety	DS IDENTIFIC the substance of ion (UK S.I. 2019 of classified as ha ion (UK S.I. 2019 nts: tatements:	CATION or mixture: 9/720 and UK S.I. 2 azardous according f 9/720 and UK S.I. 2	020/1567): to GB CLP Regulation (UK	S.I. 2019/720 and UK S.I. 2020/1567).
SEC 2.1	TION 2: HAZAR Classification of GB CLP Regulat The product is no Label elements: GB CLP Regulat Hazard statemen Not relevant Precautionary s Not relevant Supplementary EUH210: Safety Other hazards:	DS IDENTIFIC the substance of ion (UK S.I. 2019 of classified as ha ion (UK S.I. 2019 nts: tatements: information: data sheet availa	CATION or mixture: 9/720 and UK S.I. 2 azardous according f 9/720 and UK S.I. 2	020/1567): to GB CLP Regulation (UK	

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Silicone-based mixed solvent


Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

	Identification	Chemical name/Classification		Concentration
CAS:	8042-47-5	White mineral oil, <=20.5mm2/s (40°C) Asp. Tox. 1: H304 - Danger	٩	5 - <10 %
CAS:	556-67-2	Octamethylcyclotetrasiloxane Aquatic Chronic 4: H413; Flam. Liq. 3: H226; Repr. 2: H361 - Warning	٩	<0,5 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES





250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

inting:	18/11/2024 Date of compilation: 24/05/2023 Revised: 08/06/2023 Version: 8 (Replaced 7)								
SEC	FION 4: FIRST AID MEASURES (continued)								
4.1	Description of first aid measures:								
	The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direc exposure to the chemical product or persistent discomfort, showing the SDS of this product. By inhalation:								
	This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.								
	By skin contact:								
	In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,), seek medical advice with this Safety Data Sheet By eye contact:								
	This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes. By ingestion/aspiration:								
4.2	Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion. Most important symptoms and effects, both acute and delayed:								
	Acute and delayed effects are indicated in sections 2 and 11.								
4.3	Indication of any immediate medical attention and special treatment needed:								
	Not relevant								
SEC.	TION 5: FIREFIGHTING MEASURES								
5.1	Extinguishing media:								
	Suitable extinguishing media:								
	Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. Unsuitable extinguishing media:								
	IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.								
5.2	Special hazards arising from the substance or mixture:								
5.3	As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk. Advice for firefighters:								

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...). Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

6.3 Methods and material for containment and cleaning up:



DNEL (General population):

250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

	dhesives							
rinting:	18/11/2024 Date of co	ompilation: 24/05/202	3 Revise	ed: 08/06/2023	Version: 8	(Replaced 7)		
SEC	TION 6: ACCIDENTAL R	ELEASE MEASU	RES (continu	ued)				
6.4	It is recommended: Sweep up and shovel produ Reference to other section See sections 8 and 13.	-	means and pla	ce in container f	or reuse (prefer	red) or disposal		
SEC	TION 7: HANDLING AND	STORAGE						
7.1	Precautions for safe hand	ling:						
	A General precautions for	-						
	Comply with the current Maintain order, cleanline B Technical recommendat Due to its non-inflammal	ess and dispose of us tions for the preventio	on of fires and e	ds (section 6). explosions	Ū			
	use.				ider normal con	ditions of storag	e, nanuling and	
	C Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.							
	D Technical recommendat	0	0		ie eieening prov			
	Preferably use aspiration exposure to the product	n for cleaning. Given	the danger of t		halation, any cle	aning method th	at involves	
7.2	Conditions for safe storag	e, including any inc	compatibilities	:				
	A Specific storage requirer	ments						
	Minimum Temp.:	5 °C						
	Maximum Temp.:	20 °C						
	Maximum time:	36 Months						
	B General conditions for st	torage						
	Avoid sources of heat, ra	adiation. static electri	city and contac	t with food. For a	additional inform	ation see subse	ction 10.5	
7.3	Specific end use(s):							
7.0	Except for the instructions a product.	Iready specified it is r	not necessary t	o provide any sp	ecial recommer	ndation regarding	g the uses of this	
0 = 0								
SEC	TION 8: EXPOSURE CO	NTROLS/PERSO	NAL PROTE	CTION				
8.1	Control parameters:							
	Substances whose occupati	ional exposure limits	have to be ass	essed in the wor	kplace:			
	Nuisance dust: Inhalable du	st 10 mg/m3 // Respi	irable dust 4 m	g/m3				
	DNEL (Workers):							
				Short	exposure	Long	exposure	
	Identificati	ion		Systemic	Local	Systemic	Local	
	White mineral oil, <=20.5mm2/s (-	40°C)	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
	CAS: 8042-47-5		Dermal	Not relevant	Not relevant	217.05 mg/kg	Not relevant	
	EC: 232-455-8		Inhalation	Not relevant	Not relevant	164.56 mg/m ³	Not relevant	
	Octamethylcyclotetrasiloxane		Oral	Not relevant	Not relevant	Not relevant	Not relevant	
	CAS: 556-67-2		Dermal	Not relevant	Not relevant	Not relevant	Not relevant	
	EC: 209-136-7		Inhalation	Not relevant	Not relevant	73 mg/m³	73 mg/m ³	



250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

Printing: 18/11/2024 Date of compilation: 24/05/2023 Revised: 08/06/2023 Version: 8 (Replaced 7) SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

	Short ex	xposure	Long exposure			
Identification		Systemic	Local	Systemic	Local	
White mineral oil, <=20.5mm2/s (40°C)	Oral	Not relevant	Not relevant	25 mg/kg	Not relevant	
CAS: 8042-47-5	Dermal	Not relevant	Not relevant	93.02 mg/kg	Not relevant	
EC: 232-455-8	Inhalation	Not relevant	Not relevant	34.78 mg/m ³	Not relevant	
Octamethylcyclotetrasiloxane	Oral	Not relevant	Not relevant	t relevant 3.7 mg/kg		
CAS: 556-67-2	Dermal	Not relevant	Not relevant	Not relevant	Not relevant	
EC: 209-136-7	Inhalation	Not relevant	Not relevant	13 mg/m ³	13 mg/m ³	
PNEC:						
Identification						
Octamethylcyclotetrasiloxane	STP	10 mg/L	Fresh water	Fresh water		
CAS: 556-67-2	Soil	0.54 mg/kg	Marine water	Marine water		
EC: 209-136-7	Intermittent	Not relevant	Sediment (Fresh	water)	3 mg/kg	
	Oral	0.041 g/kg	Sediment (Marine water)		0.3 mg/kg	

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>> or <<CE marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.


C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Protective gloves against minor risks	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+ A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

	Pictogram	PPE	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer´s instructions. Use if there is a risk of splashing.
B	ody protection		
	Pictogram	PPE	Remarks
		Work clothing	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
		Anti-slip work shoes	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2007
- A	dditional emerge	ency measures	1





250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

Printing:	18/11/2024	Date of compilati	on: 24/05/2023	Revised: 0	8/06/2023	Version: 8	(Replaced 7)	
SECT	FION 8: EXPC	SURE CONTRO	DLS/PERSONAL	PROTECT	ION (continue	ed)		
	Emerger	ncy measure	Standards		Emergency me	easure	Standards	
	Emerge	ncy shower	ANSI Z358-1 SO 3864-1:2011, ISO 38	64-4:2011	Eyewash sta	tions	DIN 12 899 ISO 3864-1:2011, ISO 3864-4	4:2011
	Environmenta	l exposure control	s:					
	spillage of both	the product and its	legislation for the pr container. For addit s in Paints, Varnisł	ional informat	ion see subsec	tion 7.1.D	nded to avoid environme	ntal
	V.O.C. (Su	oply):	1.5 % weight					
	V.O.C. den	sity at 20 °C:	16 kg/m³ (16	g/L)				
SECT	FION 9: PHYS	SICAL AND CHE	MICAL PROPER	TIES				
9.1	Information or	hasic physical ar	ld chemical proper	ties:				
0.1		formation see the p						
	Appearance:							
	Physical state a	at 20 °C:		Solid				
	Appearance:			Paste				
	Colour:			Green				
	Odour:			Characteris	tic			
	Odour threshol	d:		Not relevar	t *			
	Volatility:							
	7	atmospheric pressu	ire:	Not relevar	t *			
	Vapour pressu			1000 Pa				
	Vapour pressu	re at 50 °C:		Not relevar	t *			
	Evaporation rat	te at 20 °C:		Not relevar	t *			
	Product descr	iption:						
	Density at 20 %	C:		1066.4 kg/r	n ³			
	Relative densit	y at 20 °C:		1.066				
	Dynamic viscos	sity at 20 °C:		Not relevan	t *			
	Kinematic visco	osity at 20 °C:		Not relevar	t *			
	Kinematic visco	osity at 40 °C:		>20.5 mm²/	s			
	Concentration:			Not relevar	t *			
	pH:			Not relevar	t *			
	Vapour density	at 20 °C:		Not relevar	t *			
	Partition coeffic	cient n-octanol/wate	r 20 °C:	Not relevar	t *			
	Solubility in wa	ter at 20 ºC:		Not relevar	t *			
	Solubility prope	erties:		Not relevar	t *			
	Decomposition	temperature:		Not relevar	t *			
	Melting point/free	eezing point:		Not relevar	t *			
	Flammability:							
	Flash Point:			>100 °C				
	Flammability (s	olid, gas):		Not relevar	t *			
	Autoignition ter	-		>400 °C				
	Lower flammab	oility limit:		Not relevar	t *			
	*Not relevant due	to the nature of the proc	luct, not providing inform	nation property o	f its hazards.			



250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

Printing: 18/1	1/2024 Date	e of compilation: 24/05/2023	Revised: 08/06/2023	Version: 8 (Replaced 7)
SECTION	N 9: PHYSICAL	AND CHEMICAL PROPER	TIES (continued)	
Upp	per flammability limi	it:	Not relevant *	
Exp	olosive (Solid):			
Low	ver explosive limit:		Not relevant *	
Upp	per explosive limit:		Not relevant *	
Par	ticle characteristi	cs:		
Med	dian equivalent diar	meter:	Not relevant *	
9.2 Oth	ner information:			
Info	ormation with rega	ard to physical hazard classes:		
Exp	olosive properties:		Not relevant *	
Oxio	dising properties:		Not relevant *	
Cor	rrosive to metals:		Not relevant *	
Hea	at of combustion:		Not relevant *	
	Aerosols-total percentage (by mass) of flammable components:		Not relevant *	
Oth	her safety characte	eristics:		
Sur	face tension at 20 °	°C:	Not relevant *	
Ref	fraction index:		Not relevant *	
*Not	t relevant due to the na	ature of the product, not providing inform	ation property of its hazards.	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

10.5

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable
Incompatible materials:				

AcidsWaterOxidising materialsCombustible materialsOthersAvoid strong acidsNot applicableAvoid direct impactNot applicableAvoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure: A- Ingestion (acute effect):



Printing: 18/11/2024

250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

Revised: 08/06/2023

Version: 8 (Replaced 7)

Date of compilation: 24/05/2023

SECTION 11: TOXICOLOGICAL I	NFORMATION (continued)				
hazardous for consumption. F - Corrosivity/Irritability: Base	ailable data, the classification criteria are for more information see section 3 d on available data, the classification crit s effect. For more information see sectio	eria are not m			
as hazardous for inhalation. F - Corrosivity/Irritability: Base	vailable data, the classification criteria and or more information see section 3. d on available data, the classification critis s effect. For more information see section eyes (acute effect):	eria are not m			
classified as hazardous for sk - Contact with the eyes: Bas classified as hazardous for thi	d on available data, the classification crit in contact. For more information see sec ed on available data, the classification cr s effect. For more information see sectio mutagenicity and toxicity to reproduction	tion 3. iteria are not i n 3.	,		
as hazardous for the effects n IARC: White mineral oil, <=2 - Mutagenicity: Based on ava hazardous for this effect. For - Reproductive toxicity: Base classified as hazardous for thi	available data, the classification criteria a nentioned. For more information see sect 20.5mm2/s (40°C) (3) ailable data, the classification criteria are more information see section 3. ed on available data, the classification crit s effect. For more information see sectio	tion 3. not met, as it teria are not n	does not conta	ain substances	classified a
E- Sensitizing effects:					
hazardous with sensitising eff - Skin: Based on available da hazardous for this effect. For F- Specific target organ toxicity (classification criteria are not met, as it do	, as it does no	ot contain subst	ances classifie	ed as
G- Specific target organ toxicity (STOT)-repeated exposure:				
it does not contain substances - Skin: Based on available da hazardous for this effect. For H- Aspiration hazard:	y (STOT)-repeated exposure: Based on s classified as hazardous for this effect. F ata, the classification criteria are not met, more information see section 3.	For more infor , as it does no	mation see sec t contain subst	ction 3. tances classifie	ed as
Not relevant					
Specific toxicology information	on the substances:				
la	lentification		Acute toxicity		Genus
White mineral oil, <=20.5mm2/s (40°C)		LD50 oral	>5000 mg	/kg	Rat
CAS: 8042-47-5		LD50 dermal	>5000 mg	<u> </u>	
		LC50 inhalatio		-	
Octamethylcyclotetrasiloxane		LD50 oral	61440 mg	/kg	Rat
CAS: 556-67-2		LD50 dermal	10000 mg	•	Rabbit
		LC50 inhalatio	n >20 mg/L		
Acute Toxicity Estimate (ATE n	nix):				
	ATE mix		Ingredie	nt(s) of unknown t	toxicity
Oral	>5000 mg/kg (Calculation method)		Non-applicable		ionity
Dermal	>5000 mg/kg (Calculation method)		Non-applicable		
Inhalation	>5 mg/L (4 h) (Calculation method)		Non-applicable		



250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

rinting:	18/11/2024	Date of compila	ation: 24/05/2023	Revis	ed: 08/06/2023	Version: 8 (Re	eplaced 7)	
SECT	FION 12: ECOL	OGICAL INF	ORMATION					
The ex	perimental inform	ation related to	the eco-toxicological	propertie	s of the product itself	f is not available		
	-		-		er, it does contain su			us for this
effect.	For more informat							
12.1	Toxicity:							
	Acute toxicity:							
		Identification			Concentration	:	Species	Genus
	Octamethylcyclotetra	asiloxane		LC50	500 mg/L (96 h)	Brach	nydanio rerio	Fish
	CAS: 556-67-2			EC50	Not relevant			
				EC50	Not relevant			
	Chronic toxicity	<i>r</i> :						
		Identification			Concentration		Species	Genus
	Octamethylcyclotetra	asiloxane		NOEC	0.0044 mg/L		ynchus mykiss	Fish
40.0	CAS: 556-67-2			NOEC	0.015 mg/L	Dapl	hnia magna	Crustacean
12.2	Persistence and	degradability:						
	Not available							
12.3	Bioaccumulative	-						
	Substance-spec	ific information	1:					
			Identification			Bio	accumulation pote	ntial
	Octamethylcyclotetra	asiloxane				BCF	12400	
	CAS: 556-67-2					Pow Log	4.45	
						Potential	Very High	
12.4	Mobility in soil:							
		Identification		Abs	orption/desorption		Volatility	
	Octamethylcyclotetra	asiloxane	Koc		Not relevant	Henry		elevant
	CAS: 556-67-2			nclusion	Not relevant	Dry soil	· · · · · · · · · · · · · · · · · · ·	elevant
12.5	Results of PBT a	and vPvR asso		face tension	1.819E-2 N/m (25 %	C) Moist soil	Not r	elevant
12.5					-			
	Octamethylcyclot		tances: Decametnyi	cyclopenta	asiloxane, Dodecame	etnyicycionexas	lioxane,	
12.6	Other adverse et							
	Not described							
	Not described							

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class
16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08	Non-hazardous

Type of waste:

Not relevant

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste (England & Wales) Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste (England & Wales) Regulations 2011.

SECTION 14: TRANSPORT INFORMATION



250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

nting: 18/11/2024	Date of compilation: 24/05/	2023 Re	evised: 08/06/2023	Version: 8 (Replaced 7)
SECTION 14:	TRANSPORT INFORMATION	V (continued)			
Transpo	rt of dangerous goods by land:				
With reg	ard to ADR 2023 and RID 2023:				
14.1	UN number:	Not relevant			
14.2	UN proper shipping name:	Not relevant			
14.3	Transport hazard class(es):	Not relevant			
	Labels:	Not relevant			
	Packing group:	Not relevant			
14.5	Environmental hazards:	No			
14.6	Special precautions for user				
	Tunnel restriction code:	Not relevant			
	Physico-Chemical properties:	see section 9			
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Not relevant			
Transpo	rt of dangerous goods by sea:				
With rega	ard to IMDG 41-22:				
14.1	UN number:	Not relevant			
14.2	UN proper shipping name:	Not relevant			
14.3	Transport hazard class(es):	Not relevant			
	Labels:	Not relevant			
14.4	Packing group:	Not relevant			
14.5	Marine pollutant:	No			
14.6	Special precautions for user				
	Special regulations:	Not relevant			
	EmS Codes:				
	Physico-Chemical properties:	see section 9			
	Limited quantities:	Not relevant			
	Segregation group:	Not relevant			
14.7	Transport in bulk according to	Not relevant			
	Annex II of Marpol and the IBC Code:				
Transno	rt of dangerous goods by air:				
-					
With rega	ard to IATA/ICAO 2024:				
14.1	UN number:	Not relevant			
	UN proper shipping name:	Not relevant			
14.3	Transport hazard class(es):	Not relevant			
	Labels:	Not relevant			
	Packing group:	Not relevant			
14.5	Environmental hazards:	No			
14.6	Special precautions for user				
	Physico-Chemical properties:	see section 9			
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Not relevant			

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Octamethylcyclotetrasiloxane (556-67-2) - Substances listed in UK REACH Authorisation List (Annex 14): Not relevant

The Control of Major Accident Hazards Regulations 2015:

Not relevant

Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc):

Revised: 08/06/2023

Version: 8 (Replaced 7)



Printing: 18/11/2024

250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

Date of compilation: 24/05/2023

SECTION 15: REGULATORY INFORMATION (continued)

	Contains Decamethylcyclopentasiloxane, Octamethylcyclotetrasiloxane, Dodecamethylcyclohexasiloxane. 1. Shall not be placed on the market in wash-off cosmetic products in a concentration equal to or greater than 0,1 % by weight of either substance, after 31 January 2020. 2. For the purposes of this entry, "wash-off cosmetic products" means cosmetic products as defined in Article 2(1)(a) of Regulation (EC) No 1223/2009 that, under normal conditions of use, are washed off with water after application.' Specific provisions in terms of protecting people or the environment:
	It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product. Other legislation:
	5
	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020. Control of Substances Hazardous to Health Regulations 2002 (as amended)
	EH40/2005 Workplace exposure limits.
SEC	CTION 16: OTHER INFORMATION
	Legislation related to safety data sheets:
	This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.
	Texts of the legislative phrases mentioned in section 3:
	The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3
	GB CLP Regulation (UK S.I. 2019/720 and UK S.I. 2020/1567):
	Aquatic Chronic 4: H413 - May cause long lasting harmful effects to aquatic life.
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Flam. Lig. 3: H226 - Flammable liquid and vapour.
	Repr. 2: H361 - Suspected of damaging fertility or the unborn child.
	Classification procedure:
	Not relevant
	Advice related to training:
	Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.
	Principal bibliographical sources:
	http://ecna.europa.eu
	http://eur-lex.europa.eu Abbreviations and acronyms:
	ADDreviations and actorights. ADR: European agreement concerning the international carriage of dangerous goods by road
	IMDG: International maritime dangerous goods code
	IATA: International Air Transport Association
	ICAO: International Civil Aviation Organisation
	COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand
	BCB3. Sday biochemical oxygen demand BCF: Bioconcentration factor
	LD50: Lethal Dose 50
	LC50: Lethal Concentration 50
	EC50: Effective concentration 50
	LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon
	UFI: unique formula identifier
	IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.