

Safety data sheet according to 29 CFR 1910.1200



250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

Printing:	11/18/2024	Date of compilation: 5/24	1/2023 Re	vised: 6/8/2023	Version: 8 (Replaced 7)
SEC	FION 1: IDENT	IFICATION			
1.1	GHS Product id Other means of Not applicable (N	f identification: N/A)			DIUM A35 (A) 2.5 KG/660 GR
1.2		use of the chemical and			
		Zoosanitary product for ani	-	-	
4.2	-	gainst: All uses not specific			ten en etten normensikle neutru
1.3	Glue-U Adhesive Droogdokkeneila 5026 SR Tilburg Phone: +31 (0)1 info@glue-u.com www.glue-u.com	es B.V. and 8 - The Netherlands 3 545 31 18 n		-	ter, or other responsible party:
	Emergency pro				
000					
	HON 2: HAZAF	RD(S) IDENTIFICATIO	JN		
2.1		of the substance or mixtu	ire:		
	29 CFR 1910.12 Classification Comb. Dust: Repr. 2: Repr	Hazards: 1 zards: 0 ards: Not applicable (N/A) 200: n of this product has been of Combustible Dust, CD roductive toxicity, Category		ordance with paragrap	oh (d) of § 1910.1200.
2.2	Label elements				
	NFPA: 0 0 0 0 0 0 0 0 0 0 0 0 0	200:			
	Hazard state	ments:			
	Repr. 2: H36	May form combustible due 1 - Suspected of damaging ry statements:			
	P202: Do not P280: Wear p P308+P313: P405: Store k P501: Dispos waste respec	se of contents and / or con	cautions have be e clothing/eye pro Get medical adv tainers in accord	otection/protective fool ice/attention.	
	Octamethylcy	yclotetrasiloxane			
2.3	Hazards not oth	herwise classified (HNOC	C):		
	Not applicable (N	N/A)			

Safety data sheet according to 29 CFR 1910.1200





250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

Printing:	11/18/2	2024 Date	of compilation: 5/24/2023	Revised: 6/8/2023	Version: 8 (Replaced 7)					
SEC	TION (3: COMPOSITI	ON/INFORMATION ON IN	IGREDIENTS						
3.1	Subst	tances:								
	Non-a	applicable								
3.2	Mixtures:									
	Chemical description: Silicone-based mixed solvent									
	Components:									
	Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. Therefore, in accordance with Appendix D to § 1910.1200, the product contains:									
	Identification Chemical name Concentra									
	CAS:	8042-47-5	White mineral oil, <=20.5mm2/s (40	D°C)		5 - <10 %				
	CAS:	556-67-2	Octamethylcyclotetrasiloxane			<0,5 %				
	To ob	tain more informa	tion on the hazards of the subst	tances consult sections 11	, 12 and 16.					

SECTION 4: FIRST-AID MEASURES

4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eye contact:

This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Not applicable (N/A)

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:



Printing: 11/18/2024

250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR



Date of compilation: 5/24/2023 Rev

Revised: 6/8/2023

Version: 8 (Replaced 7)

SECTION 5: FIRE-FIGHTING MEASURES (continued)

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:

For accidental releases in excess of reportables quantities (RQ) (Table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Center (800) 424-8802. Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, manipulation and use.

C.- Technical recommendations on general occupational hygiene

PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in fixed places that comply with the necessary security conditions (emergency showers and eyewash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to containers of small amounts. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 41 °F

Maximum Temp.: 68 °F

Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

Date of compilation: 5/24/2023

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION



Printing: 11/18/2024

250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

Revised: 6/8/2023

Version: 8 (Replaced 7)



8.1 **Control parameters:** Substances whose occupational exposure limits have to be assessed in the workplace: Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3 82 Appropriate engineering controls: A.- Individual protection measures, such as personal protective equipment As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132. B.- Respiratory protection The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded. C.- Specific protection for the hands PPF Pictogram Remarks Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional /industrial users, we recommend using chemical Protective gloves against minor risks protection gloves. Use gloves in accordance with manufacturer's use limitations and OSHA standard 1910.138 (29CFR) Mandatory hand protection As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application. D.- Eye and face protection Pictogram PPF Remarks Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. Use this PPE in accordance with manufacturer's Panoramic glasses against splash/projections use limitations and OSHA standard 1910.133 (29CFR) Mandatory face protection E.- Bodily protection PPE Pictogram Remarks Work clothing Replace before any evidence of deterioration. Anti-slip work shoes Replace before any evidence of deterioration. F.- Additional emergency measures Emergency measure Standards Emergency measure Standards **0**+ ANSI Z358-1 DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 ISO 3864-1:2011, ISO 3864-4:2011 Emergency shower Eyewash stations Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D **40 CFR Part 59 (VOC):**

V.O.C.(weight-percent):

0 % weight

0 kg/m3 (0 g/L)

V.O.C. at 68 °F:

California Air Resources Board (CARB) - VOC Regulatory:

- CONTINUED ON NEXT PAGE -

Safety data sheet according to 29 CFR 1910.1200



250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

inting: 11/18/2024	Date of compilation: 5	5/24/2023	Revised: 6/8/2023	Version: 8 (Replaced 7)
SECTION 8: EXP	OSURE CONTROLS/	PERSONAL	PROTECTION (co	ntinued)
V.O.C.(we	ight-percent):	0 % weight		
V.O.C. at 6		0 kg/m³ (0 g	/L)	
South Coast	Air Quality Management			:
	V.O.C.(weight-percent): 0 % weight			
	V.O.C. at 68 °F: 0 kg/m ³ (0 g/l			
	oort Commission (OTC)			
	ight-percent):	0 % weight	0 ,	
V.O.C. at 6		0 kg/m³ (0 g	/L)	
SECTION 9: PHY	SICAL AND CHEMIC	AL PROPER	RTIES	
9.1 Information of	n basic physical and ch	emical prope	erties:	
For complete	nformation see the produ	ct datasheet.		
Appearance:				
Physical state	at 68 °F:		Solid	
Appearance:			Paste	
Color:			Green	
Odor:			Characteristic	
Odour thresho	ld:		Not applicable (N/A)	*
Volatility:				
Boiling point a	t atmospheric pressure:		Not applicable (N/A)	*
Vapour pressu			1000 Pa	
Vapour pressu			Not applicable (N/A)	*
Evaporation ra			Not applicable (N/A)	
Product desc	ription:			
Density at 68	°F:		1066.4 kg/m³_	
Relative densi			1.066	
Dynamic visco			Not applicable (N/A)	
Kinematic viso			Not applicable (N/A)	
Kinematic viso	osity at 104 °F:		>20.5 mm²/s	
Concentration	:		Not applicable (N/A)	*
pH:			Not applicable (N/A)	
Vapour densit	v at 68 ⁰F:		Not applicable (N/A)	
•	cient n-octanol/water 68 °	Ϋ́F:	Not applicable (N/A)	
Solubility in wa			Not applicable (N/A)	
Solubility prop			Not applicable (N/A)	
Decomposition			Not applicable (N/A)	
Melting point/f			Not applicable (N/A)	
Flammability	• •			
Flash Point:			>212 ºF	
Flammability (solid. gas):		Not applicable (N/A)	*
Autoignition te			>752 °F	
Lower flamma	-		Not applicable (N/A)	*
Upper flamma	-		Not applicable (N/A)	
	-		not applicable (N/A)	
Explosive (So	λια): λ/A) due to the nature of the pr		.	





250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

Printing	: 11/18/2024	Date of compilation: 5/24/2023	Revised: 6/8/2023	Version: 8 (Replaced 7)
SEC	TION 9: PHYS	ICAL AND CHEMICAL PROPE	RTIES (continued)	
	Lower explosive	e limit:	Not applicable (N/A) *	
	Upper explosive	e limit:	Not applicable (N/A) *	
	Particle charac	cteristics:		
	Median equival	ent diameter:	Not applicable (N/A) *	
9.2	Other informat	tion:		
	Information wi	th regard to physical hazard classe	s:	
	Explosive prope	erties:	Not applicable (N/A) *	
	Oxidising prope	erties:	Not applicable (N/A) *	
	Corrosive to me	etals:	Not applicable (N/A) *	
	Heat of combus	stion:	Not applicable (N/A) *	
	Aerosols-total p components:	ercentage (by mass) of flammable	Not applicable (N/A) $*$	
	Other safety c	haracteristics:		
	Surface tension	at 68 °F:	Not applicable (N/A) *	
	Refraction inde	x:	Not applicable (N/A) *	
	*Not applicable (N/	A) due to the nature of the product, not provid	ing information property of its haz	zards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicab <mark>le</mark>	Precaution	Precaution	Not applicable
compatible materials:				

10.5 Inc

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available


Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure: A- Ingestion (acute effect):

Safety data sheet according to 29 CFR 1910.1200



250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR



Acute Toxicity Estimate (ATE mix):

CAS: 556-67-2

	ATE mix	Ingredient(s) of unknown toxicity		
Oral	>5000 mg/kg (Calculation method)	Non-applicable		
Dermal	>5000 mg/kg (Calculation method)	Non-applicable		
Inhalation	>5 mg/L (4 h) (Calculation method)	Non-applicable		

LD50 dermal

LC50 inhalation

10000 mg/kg

>20 mg/L

Rabbit







250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

Printing:	11/18/2024	Date of compile	ation: 5/24/2023	Revise	ed: 6/8/2023	Version: 8 (Replaced	7)	
SECT	TION 12: ECOL	OGICAL INF	ORMATION					
Based	l on available data ore information se	a, the classifications e section 3.	•	met, as it do	es of the product its bes not contain sub	elf is not available stances classified as	hazardous fo	r this effect.
	Acute toxicity:							
		Identification			Concentration	Spec	ies	Genus
	Octamethylcyclotet	rasiloxane		LC50	500 mg/L (96 h)	Brachyda	nio rerio	Fish
	CAS: 556-67-2			EC50	Not applicable (N/A)			
				EC50	Not applicable (N/A)			
	Chronic toxicit	y:						
		Identification			Concentration	Spec	ies	Genus
	Octamethylcyclotet	Octamethylcyclotetrasiloxane			0.0044 mg/L	Oncorhynch	us mykiss	Fish
	CAS: 556-67-2			NOEC	0.015 mg/L	Daphnia	magna	Crustacean
12.2	Persistence and	d degradability:						
	Not available							
12.3	Bioaccumulativ	e potential:						
	Substance-spe	cific information	n:					
			Identification			Bioaccu	umulation poten	ıtial
	Octamethylcyclotet	rasiloxane				BCF	12400	
	CAS: 556-67-2					Pow Log	4.45	
						Potential	Very High	
12.4	Mobility in soil:							
		Identification		Abs	sorption/desorption		Volatility	
	Octamethylcyclotet	rasiloxane		Кос	Not applicable (N			oplicable (N/A)
	CAS: 556-67-2			Conclusion	Not applicable (N			oplicable (N/A)
10.0				Surface tensior	1.819E-2 N/m (7	7 °F) Moist soil	Not ap	oplicable (N/A)
12.5	Results of PBT	and VPVB asse	ssment:					
	Non-applicable							
12.6	Other adverse e	effects:						
	Not described							
SECI	TION 13: DISP	OSAL CONSI						
			DERVITONO					

13.1 Disposal methods:

IT IS THE RESPONSIBILITY OF THE WASTE GENERATOR TO EVALUATE WHETHER HIS WASTES ARE HAZARDOUS BY CHARACTERISTICS OR LISTING.

Waste management (disposal and evaluation):

Follow RCRA framework and EPA regulation for to ensure that hazardous waste is managed safely and properly. Waste should not be disposed of to drains. Remind, It is the responsibility of the waste generator to evaluate whether his wastes are hazardous by characteristics or listing. See section 6 for further information about Accidental release measures.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Solid Wastes - Part 239 through 282.

State regulatory requirements for generators may be more stringent than those in the federal program. Be sure to check the state's policies.

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to 49 CFR on the Transport of Dangerous Goods:

Safety data sheet according to 29 CFR 1910.1200





250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

Printing: 11/18/2024	Date of compilation: 5/24/2	023 Revised: 6/8/20	Version: 8 (Replaced 7)	
SECTION 14: 7	TRANSPORT INFORMATION	N (continued)		
14.1 14.2 14.3 14.4 14.5 14.6	Transport hazard class(es): Labels: Packing group, if applicable: Marine pollutant:		or needs to comply with, in connection eir premises	
14.7	Physico-Chemical properties: Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	see section 9 Not applicable (N/A)		
Transpor	rt of dangerous goods by sea:			
With rega	ard to IMDG 41-22:			
14.1		Not applicable (N/A)		
14.2		Not applicable (N/A)		
14.3	Transport hazard class(es): Labels:	Not applicable (N/A) Not applicable (N/A)		
14.4	Packing group, if applicable:	Not applicable (N/A)		
14.5 14.6	Marine pollutant:	No	or needs to comply with, in connection	
14.0	with transport or conveyance e Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group:	ither within or outside the Not applicable (N/A) see section 9 Not applicable (N/A) Not applicable (N/A)		
	the IBC Code):			
Transpor	rt of dangerous goods by air:			
With rega	ard to IATA/ICAO 2024:			
14.1	UN number:	Not applicable (N/A)		
14.2	UN proper shipping name:	Not applicable (N/A)		
14.3	Transport hazard class(es): Labels:	Not applicable (N/A) Not applicable (N/A)		
14.4		Not applicable (N/A)		
14.5	Marine pollutant:	No		
14.6	Special precautions which a us with transport or conveyance e		or needs to comply with, in connection eir premises	
	Physico-Chemical properties:	see section 9		
14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	Not applicable (N/A)		

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:

Safety data sheet according to 29 CFR 1910.1200



250107025/250107660 - SHUDIM MEDIUM A35 (A) 2.5 KG/660 GR

Revised: 6/8/2023

Version: 8 (Replaced 7)



Printing: 11/18/2024 Date of compilation: 5/24/2023 SECTION 15: REGULATORY INFORMATION (continued)

- CALIFORNIA LABOR CODE - The Hazardous Substances List: Not applicable (N/A)

- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Birth defects or other reproductive harm: Not applicable (N/A)

- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Cancer: Not applicable (N/A)

- CANADA-Domestic Substances List (DSL): White mineral oil, <=20.5mm2/s (40°C) (8042-47-5) ; Octamethylcyclotetrasiloxane (556-67-2)

- CANADÁ-Non-Domestic Substances List (NDSL): Not applicable (N/A)

- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities: Not applicable (N/A)

- Hazardous Air Pollutants (Clean Air Act): Not applicable (N/A)
- Massachusetts RTK Substance List: Not applicable (N/A)

- Minnesota - Hazardous substances ERTK: Not applicable (N/A)

- New Jersey Worker and Community Right-to-Know Act: Not applicable (N/A)
- New York RTK Substance list: Not applicable (N/A)

- NTP (National Toxicology Program): Not applicable (N/A)

- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Not applicable (N/A)

- Pennsylvania Worker and Community Right-to-Know Law: Not applicable (N/A)

- Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Octamethylcyclotetrasiloxane (556-67-2)

- Rhode Island - Hazardous substances RTK: Not applicable (N/A)

- The Toxic Substances Control Act (TSCA) : White mineral oil, <=20.5mm2/s (40°C) (8042-47-5) ; Octamethylcyclotetrasiloxane (556-67-2)

- Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): Not applicable (N/A)

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information provided in this safety data sheet as a foundation for conducting workplace-specific risk assessments. These assessments will help establish the appropriate risk prevention measures for handling, using, storing, and disposing of this product.

Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

Texts of the legislative phrases mentioned in section 2:

H361: Suspected of damaging fertility or the unborn child.

May form combustible dust concentrations in air

Advice related to training:

According to 29 CFR 1910. 1200, training on chemical hazards is necessary for employees using this product. This training will facilitate their understanding and interpretation of the safety data sheet, as well as the product label.

Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

Abbreviations and acronyms:

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor

LD50: Lethal Dose 50

CL50: Lethal Concentration 50

EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient

Koc: Partition coefficient of organic carbon

IARC: International Agency for Research on Cancer

Date of compilation: 5/24/2023 Revised: 6/8/2023

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).