





Prinung:	12/12/2024 Date of compilation: 10/31/2023 Version: 1
SEC	FION 1: IDENTIFICATION
1.1	GHS Product identifier: 200130250 - SHUPACK SOFT A30 (A)
	250 ML Other means of identification:
	Non-applicable
1.2	Recommended use of the chemical and restrictions on use:
	Relevant uses (Professional users): Adhesive
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:
	Glue-U Adhesives B.V.
	Droogdokkeneiland 8 5026 SR Tilburg - The Netherlands
	Phone: +31 (0)13 545 31 18 info@glue-u.com
	www.glue-u.com
1.4	Emergency phone number: +31 (0)6 24533395 Mon-Fri 08-17
	TION 2: HAZARD(S) IDENTIFICATION
2.1	Classification of the substance or mixture:
	29 CFR 1910.1200: Classification of this product has been carried out in accordance with paragraph (d) of § 1910.1200.
	Carc. 2: Carcinogenicity, Category 2, H351
	Eye Irrit. 2A: Eye irritation, Category 2A, H319 Resp. Sens. 1: Sensitisation, respiratory, Category 1, H334
	Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1: Sensitisation, skin, Category 1, H317
	STOT RE 2: Specific target organ toxicity — Repeated exposure, Hazard Category 2 (Inhalation), H373
2.2	STOT SE 3: Respiratory tract toxicity, single exposure, Category 3, H335 Label elements:
2.2	
	29 CFR 1910.1200: Danger
	Hazard statements:
	Carc. 2: H351 - Suspected of causing cancer.
	Eye Irrit. 2A: H319 - Causes serious eye irritation.
	Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin Irrit. 2: H315 - Causes skin irritation.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Inhalation). STOT SE 3: H335 - May cause respiratory irritation.
	Precautionary statements:
	P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear. P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
	do. Continue rinsing. P308+P313: IF exposed or concerned: Get medical advice/attention.
	P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. P501: Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging
	waste respectively.
	Substances that contribute to the classification
• -	4,4'-Methylenediphenyl diisocyanate, oligomers
2.3	Hazards not otherwise classified (HNOC):
	Non-applicable



Safety data sheet according to 29 CFR 1910.1200

200130250 - SHUPACK SOFT A30 (A) 250 ML

250 1

Printing:	12/12/2024 Date	of compilation: 10/31/2023	Version: 1			
SEC	TION 3: COMPOSIT	ION/INFORMATION ON IN	IGREDIENTS			
3.1	Substances:					
	Non-applicable					
3.2	Mixtures:					
	Chemical description: Polyurethane resin					
	Components: Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.Therefore, in accordance with Appendix D to § 1910.1200, the product contains:					
	Identification		Chemical name	Concentration		
	CAS: 25686-28-6	4,4´-Methylenediphenyl diisocyan	ate, oligomers	50 - <75 %		

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST-AID MEASURES

4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product. By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Non-applicable

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:



Printing: 12/12/2024 Date of compilation: 10/31/2023 Version: 1

SECTION 5: FIRE-FIGHTING MEASURES (continued)

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:

For accidental releases in excess of reportables quantities (RQ) (Table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Center (800) 424-8802.

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current standards 29 CFR 1910 Occupational Safety and Health Standards. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 41 °F





Printing: 12/12/2024 Date of compilation: 10/31/2023 Version: 1

SECTION 7: HANDLING AND STORAGE (continued)

Maximum Temp.: 86 °F

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be assessed in the workplace:

There are no applicable occupational exposure limits for the substances contained in the product

8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

Always provide effective general and, when necessary, local exhaust ventilation to maintain the ambient workplace atmosphere below the exposure limits.. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For additional information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

B.- Respiratory protection

Pictogram	PPE	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours (Filter type: A, B, E, K)	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment. Use respirator in accordance with manufacturer's use limitations and OSHA standard 1910.134 (29CFR)

C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.38 mm)	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin. Use gloves in accordance with manufacturer's use limitations and OSHA standard 1910.138 (29CFR)

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Remarks
Mandatory face protection	Face shield	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. Use this PPE in accordance with manufacturer's use limitations and OSHA standard 1910.133 (29CFR)
Bodily protection		
Pictogram	PPE	Remarks
Mandatory complete	Disposable clothing for protection against chemical risks	For professional use only. Clean periodically according to the manufacturer's instructions.



Safety data sheet according to 29 CFR 1910.1200

200130250 - SHUPACK SOFT A30 (A) 250 ML



Printing: 12/12/2024 Date of compilation: 10/31/2023 Version[.] 1 SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued) Pictogram PPE Remarks Replace boots at any sign of deterioration. Use foot protection in accordance with Safety footwear for protection against chemical manufacturer's use limitations and OSHA standard 1910.136 (29CFR) risk Mandatory foot protection F.- Additional emergency measures It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments. Standards Emergency measure Standards Emergency measure ANSI 7358-1 DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 ISO 3864-1:2011, ISO 3864-4:2011 Emergency shower Eyewash stations Environmental exposure controls: To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D. 40 CFR Part 59 (VOC): V.O.C.(weight-percent): 0 % weight V.O.C. at 68 °F: 0 kg/m³ (0 g/L) California Air Resources Board (CARB) - VOC Regulatory: V.O.C.(weight-percent): 0 % weight V.O.C. at 68 °F: 0 kg/m³ (0 g/L) South Coast Air Quality Management District (AQMD) - VOC Regulatory: V.O.C.(weight-percent): 0 % weight V.O.C. at 68 °F: 0 kg/m³ (0 g/L) Ozone Transport Commission (OTC) Rules - VOC Regulatory: V.O.C.(weight-percent): 0 % weight V.O.C. at 68 °F: 0 kg/m³ (0 g/L) SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.1 Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 68 °F: Liquid Appearance: Non-applicable * Color: Yellow Odor[.] Non-applicable ' Odour threshold: Non-applicable * Volatility: Boiling point at atmospheric pressure: <572 °F Vapour pressure at 68 °F: 1E-2 Pa <300000 Pa (300 kPa) Vapour pressure at 122 °F: Evaporation rate at 68 °F: Non-applicable * Product description: Density at 68 °F: 1156.9 kg/m³

1.157

*Non-applicable due to the nature of the product, not providing information property of its hazards.

Relative density at 68 °F:



Safety data sheet according to 29 CFR 1910.1200

200130250 - SHUPACK SOFT A30 (A) 250 ML



Printing: 12/12/2024 Date of compilation: 10/31/2023 Version[.] 1 SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued) Dynamic viscosity at 68 °F: Non-applicable ' Kinematic viscosity at 68 °F: Non-applicable ' Kinematic viscosity at 104 °F: Non-applicable ' Concentration: Non-applicable pH: Non-applicable ' Vapour density at 68 °F: Non-applicable * Partition coefficient n-octanol/water 68 °F: Non-applicable Solubility in water at 68 °F: Non-applicable Solubility properties: Non-applicable * Decomposition temperature: Non-applicable ' Melting point/freezing point: Non-applicable * Flammability: 401 °F Flash Point: Flammability (solid, gas): Non-applicable * Autoignition temperature: >1112 °F Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Median equivalent diameter: Non-applicable * 9.2 Other information: Information with regard to physical hazard classes: Explosive properties: Non-applicable * Non-applicable ' Oxidising properties: Corrosive to metals: Non-applicable ' Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable Non-applicable * components: Other safety characteristics: Surface tension at 68 °F: Non-applicable Refraction index: Non-applicable * *Non-applicable due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
10.5	Incompatible materials:				



SE

Safety data sheet according to 29 CFR 1910.1200

200130250 - SHUPACK SOFT A30 (A) 250 ML

Printing: 12/12/2024 Date of compilation: 10/31/2023 Version: 1

ECTION 10: STABILITY AND REACTIVITY (continued)							
	Acids	Water	Oxidising materials	Combustible materials	Others		
	Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases		

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Exposure to this product can cause cancer. For more specific information on the possible health effects see section 2.

IARC: Non-applicable

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Prolonged exposure can result in specific respiratory hypersensitivity.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Exposure in high concentration can cause a breakdown in the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable





Printing: 12/12/2024 Date of compilation: 10/31/2023

B Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Specific toxicology information on the substances:

Identificat	ion	Acute toxicity			Genus
4,4'-Methylenediphenyl diisocyanate, oligomers CAS: 25686-28-6		LD50 oral		>5000 mg/kg	
		LD50 dermal		>5000 mg/kg	
		LC50 inhalation vapour		11 mg/L	
Acute Toxicity Estimate (ATE mix):					
	ATE mix			Ingredient(s) of unknown	toxicity
Oral	>5000 mg/kg (Calculation method)		0 %		
Dermal	>5000 mg/kg (Calculation method)		0 %		
LC50 inhalation vapour	22 mg/L (4 h) (Calculation method)		0 %		

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Ecotoxicity (aquatic and terrestrial, where available):

Non-applicable

- 12.2 Persistence and degradability:
 - Non-applicable
- 12.3 Bioaccumulative potential:

Non-applicable

- 12.4 Mobility in soil: Non-applicable
- 12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

IT IS THE RESPONSIBILITY OF THE WASTE GENERATOR TO EVALUATE WHETHER HIS WASTES ARE HAZARDOUS BY CHARACTERISTICS OR LISTING.

Waste management (disposal and evaluation):

Follow RCRA framework and EPA regulation for to ensure that hazardous waste is managed safely and properly. Waste should not be disposed of to drains. Remind, It is the responsibility of the waste generator to evaluate whether his wastes are hazardous by characteristics or listing. See section 6 for further information about Accidental release measures.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Solid Wastes - Part 239 through 282.

State regulatory requirements for generators may be more stringent than those in the federal program. Be sure to check the state's policies.

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to 49 CFR on the Transport of Dangerous Goods:




Safety data sheet according to 29 CFR 1910.1200

200130250 - SHUPACK SOFT A30 (A) 250 ML

Printing: 12/12/2024	Date of compilation: 10/31/	2023 Version: 1
SECTION 14:	TRANSPORT INFORMATION	N (continued)
14.3	UN number: UN proper shipping name: Transport hazard class(es): Labels:	Non-applicable Non-applicable Non-applicable Non-applicable
14.4		Non-applicable
14.5 14.6	•	No er needs to be aware of, or needs to comply with, in connection
14.0		ither within or outside their premises
	Physico-Chemical properties:	see section 9
14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	Non-applicable
Transpo	rt of dangerous goods by sea:	
With reg	ard to IMDG 41-22:	
14.1		Non-applicable
	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es): Labels:	Non-applicable Non-applicable
14.4	JJJIIIIIIIIIIIII	Non-applicable
14.5	Marine pollutant:	No
14.6		er needs to be aware of, or needs to comply with, in connection ither within or outside their premises
	Special regulations:	Non-applicable
	EmS Codes:	
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
	Segregation group:	Non-applicable
14.7	Annex II of MARPOL 73/78 and	Non-applicable
Transno	the IBC Code): ort of dangerous goods by air:	
	ard to IATA/ICAO 2024:	
	UN number:	Non-applicable
14.2 14.3	UN proper shipping name: Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
		Non-applicable
14.5	•	No er needs to be aware of, or needs to comply with, in connection
14.6		ither within or outside their premises
	Physico-Chemical properties:	see section 9
14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	Non-applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:







Printing: 12/12/2024 Date of compilation: 10/31/2023

SECTION 15: REGULATORY INFORMATION (continued)

- CALIFORNIA LABOR CODE The Hazardous Substances List: Non-applicable
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) Birth defects or other reproductive harm: Non-applicable

Version 1

- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) Cancer: Non-applicable
- CANADA-Domestic Substances List (DSL): 4,4'-Methylenediphenyl diisocyanate, oligomers (25686-28-6)
- CANADA-Non-Domestic Substances List (NDSL): Non-applicable
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Reportable Quantities: Non-applicable
- Hazardous Air Pollutants (Clean Air Act): Non-applicable
- Massachusetts RTK Substance List: 4,4'-Methylenediphenyl diisocyanate, oligomers (25686-28-6)
- Minnesota Hazardous substances ERTK: Non-applicable
- New Jersey Worker and Community Right-to-Know Act: Non-applicable - New York RTK - Substance list: Non-applicable
- NTP (National Toxicology Program): Non-applicable
- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Non-applicable
- Pennsylvania Worker and Community Right-to-Know Law: Non-applicable
- Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Non-applicable
- Rhode Island Hazardous substances RTK: Non-applicable
- The Toxic Substances Control Act (TSCA) : 4,4'-Methylenediphenyl diisocyanate, oligomers (25686-28-6)
- Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information provided in this safety data sheet as a foundation for conducting workplace-specific risk assessments. These assessments will help establish the appropriate risk prevention measures for handling, using, storing, and disposing of this product.

Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

Texts of the legislative phrases mentioned in section 2:

- H315: Causes skin irritation.
- H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H317: May cause an allergic skin reaction.
- H351: Suspected of causing cancer.
- H335: May cause respiratory irritation.
- H373: May cause damage to organs through prolonged or repeated exposure (Inhalation).
- H319: Causes serious eye irritation.

Advice related to training:

According to 29 CFR 1910. 1200, training on chemical hazards is necessary for employees using this product. This training will facilitate their understanding and interpretation of the safety data sheet, as well as the product label.


Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

Abbreviations and acronyms:

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 CL50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon IARC: International Agency for Research on Cancer

Date of compilation: 10/31/2023







Printing: 12/12/2024

Date of compilation: 10/31/2023

Version: 1

adhesives

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).