



according to 29 CFR 1910.1200


210105250 - SHUSIL SOFT A10 (B) 250 ML

Printing: 12/12/2024 Revised: 8/25/2023 Date of compilation: 7/11/2023 Version: 2 (Replaced 1) **SECTION 1: IDENTIFICATION** 1.1 **GHS Product identifier:** 210105250 - SHUSIL SOFT A10 (B) 250 ML Other means of identification: Not applicable (N/A) 1.2 Recommended use of the chemical and restrictions on use: Relevant uses: Animal care product: Filling material for horse hoof. For professional users only. Uses advised against: All uses not specified in this section or in section 7.3 1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: Glue-U Adhesives B.V. Droogdokkeneiland 8 5026 SR Tilburg - The Netherlands Phone: +31 (0)13 545 31 18 info@glue-u.com www.glue-u.com 1.4 Emergency phone number: +31 (0)6 24533395 Mon-Fri 08-17 SECTION 2: HAZARD(S) IDENTIFICATION 2.1 Classification of the substance or mixture: NFPA: Health Hazards: 0 Flammability Hazards: 1 Instability Hazards: 0 Special Hazards: Not applicable (N/A) 29 CFR 1910.1200: Classification of this product has been carried out in accordance with paragraph (d) of § 1910.1200. Repr. 2: Reproductive toxicity, Category 2, H361 2.2 Label elements: NFPA: 29 CFR 1910.1200: Warning Hazard statements: Repr. 2: H361 - Suspected of damaging fertility or the unborn child. Precautionary statements: P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear. P308+P313: IF exposed or concerned: Get medical advice/attention. P405: Store locked up. P501: Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively. Substances that contribute to the classification Octamethylcyclotetrasiloxane

2.3 Hazards not otherwise classified (HNOC):

Not applicable (N/A)









according to 29 CFR 1910.1200 210105250 - SHUSIL SOFT A10 (B) 250 ML Printing: 12/12/2024 Revised: 8/25/2023 Date of compilation: 7/11/2023 Version: 2 (Replaced 1) SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS 3.1 Substances: Non-applicable 32 Mixtures: Chemical description: Silicone-based mixed solvent Components: Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.Therefore, in accordance with Appendix D to § 1910.1200, the product contains: Identification Chemical name Concentration 0,025 - <0,1 % CAS: 556-67-2 Octamethylcyclotetrasiloxane To obtain more information on the hazards of the substances consult sections 11, 12 and 16. Addition cross-linking silicone polymer, contains hydrogen functional polysiloxane **SECTION 4: FIRST-AID MEASURES** 4.1 Description of necessary measures: The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. By inhalation: This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist By skin contact: In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet By eye contact: This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes. By ingestion/aspiration: In case of consumption, seek immediate medical assistance showing the SDS of this product. 4.2 Most important symptoms/effects, acute and delayed: Acute and delayed effects are indicated in sections 2 and 11. 4.3 Indication of immediate medical attention and special treatment needed, if necessary: Not applicable (N/A) SECTION 5: FIRE-FIGHTING MEASURES 5.1 Suitable (and unsuitable) extinguishing media: Suitable extinguishing media: Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. Unsuitable extinguishing media: IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent. 5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:



Printing: 12/12/2024

210105250 - SHUSIL SOFT A10 (B) 250 ML

Version: 2 (Replaced 1)

SECTION 5: FIRE-FIGHTING MEASURES (continued)

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) Additional provisions:

Revised: 8/25/2023

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Date of compilation: 7/11/2023

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:

For accidental releases in excess of reportables quantities (RQ) (Table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Center (800) 424-8802.

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in fixed places that comply with the necessary security conditions (emergency showers and eyewash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to containers of small amounts. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.:	41 °F
Maximum Temp.:	68 °F
Maximum time:	36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5



A.- General precautions for safe use



Printing: 12/12/2024



210105250 - SHUSIL SOFT A10 (B) 250 ML

Revised: 8/25/2023

Version: 2 (Replaced 1)

Date of compilation: 7/11/2023

SECTION 7: HANDLING AND STORAGE (continued) 7.3 Specific end use(s): Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 **Control parameters:** Substances whose occupational exposure limits have to be assessed in the workplace: There are no applicable occupational exposure limits for the substances contained in the product 8.2 Appropriate engineering controls: A.- Individual protection measures, such as personal protective equipment As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132. B.- Respiratory protection Pictogram PPE Remarks Replace when there is a taste or smell of the contaminant inside the face mask. If Filter mask for gases and vapours (Filter type: the contaminant comes with warnings it is recommended to use isolation A) equipment. Use respirator in accordance with manufacturer's use limitations and Mandatory OSHA standard 1910.134 (29CFR) respiratory tract protection C.- Specific protection for the hands PPE Pictogram Remarks Replace gloves in case of any sign of damage. For prolonged periods of exposure Protective gloves against minor risks (Material: to the product for professional /industrial users, we recommend using chemical protection gloves. Use gloves in accordance with manufacturer's use limitations Fluorine Rubber, Breakthrough time: > 30 min, Thickness: 0.7 mm) and OSHA standard 1910.138 (29CFR) Mandatory hand protection As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application. D.- Eve and face protection Pictogram PPE Remarks Clean daily and disinfect periodically according to the manufacturer's instructions. Panoramic glasses against splash/projections. Use if there is a risk of splashing. Use this PPE in accordance with manufacturer's use limitations and OSHA standard 1910.133 (29CFR) Mandatory face protection E.- Bodily protection PPF Pictogram Remarks Work clothing Replace before any evidence of deterioration. Anti-slip work shoes Replace before any evidence of deterioration.

F.- Additional emergency measures



Safety data sheet according to 29 CFR 1910.1200

210105250 - SHUSIL SOFT A10 (B) 250 MI



			250 ML		\mathbf{v}
nting: 12/12/2024	4 Date of com	pilation: 7/11/2023	Revised: 8/25	/2023 Version:	: 2 (Replaced 1)
SECTION 8: E	EXPOSURE CON	TROLS/PERSONAL	PROTECTIO	N (continued)	
-		Standarda		F	Chandarda
E	mergency measure	Standards		Emergency measure	Standards
		ANSI Z358-1			DIN 12 899
ſ	Emergency shower	ISO 3864-1:2011, ISO 38	364-4:2011	Eyewash stations	ISO 3864-1:2011, ISO 3864-4:2011
	nental exposure co	ntrols:		,	
In accord spillage o	י ance with the commu				mmended to avoid environmental D
V.O.C	C.(weight-percent):	0 % weight			
	C. at 68 °F:	0 kg/m³ (0 g/l	,		
California	a Air Resources Bo	ard (CARB) - VOC Reg	ulatory:		
V.O.C	C.(weight-percent):	0 % weight			
	C. at 68 °F:	0 kg/m³ (0 g/l			
		nagement District (AQN	ID) - VOC Regi	ilatory:	
	C.(weight-percent):	0 % weight			
	C. at 68 °F:	0 kg/m³ (0 g/l			
	-	on (OTC) Rules - VOC F	Regulatory:		
	C.(weight-percent):	0 % weight			
V.O.C	C. at 68 °F:	0 kg/m³ (0 g/l	L)		
0.1 Informati	ion on basic physic	CHEMICAL PROPER al and chemical proper the product datasheet.			
.1 Informati	ion on basic physic	al and chemical prope			
.1 Informati For comp Appearat	ion on basic physic	al and chemical prope			
.1 Informati For comp Appearat	ion on basic physic elete information see nce: state at 68 °F:	al and chemical prope	rties:		
.1 Informati For comp Appearan Physical s Appearan Color:	ion on basic physic elete information see nce: state at 68 °F:	al and chemical prope	ties: Liquid		
1 Informati For comp Appearan Physical s Appearan Color: Odor:	ion on basic physic elete information see nce: state at 68 °F: nce:	al and chemical prope	ties: Liquid Fluid Blue Odorless	he	sive
1 Informati For comp Appearan Physical s Appearan Color: Odor: Odor:	ion on basic physic dete information see f nce: state at 68 °F: nce:	al and chemical prope	ties: Liquid Fluid Blue	● (N/A) *	sive
1 Informati For comp Appearan Physical s Appearan Color: Odor: Odor: Odour thr Volatility	ion on basic physic elete information see in nce: state at 68 °F: nce: reshold:	al and chemical proper the product datasheet.	rties: Liquid Fluid Blue Odorless Not applicabl		sive
1 Informati For comp Appearan Physical s Appearan Color: Odor: Odor: Volatility Boiling po	ion on basic physic plete information see nce: state at 68 °F: nce: reshold: r: pint at atmospheric pr	al and chemical proper the product datasheet.	rties: Liquid Fluid Blue Odorless Not applicabl		sive
1 Informati For comp Appearan Physical s Appearan Color: Odour thr Volatility Boiling po Vapour p	ion on basic physic plete information see in nce: state at 68 °F: nce: reshold: r: point at atmospheric pr ressure at 68 °F:	al and chemical proper the product datasheet.	rties: Liquid Fluid Blue Odorless Not applicabl Not applicabl 10000 Pa	e (N/A) *	sive
1 Informati For comp Appearan Physical s Appearan Color: Odor: Odor: Odour thr Volatility Boiling po Vapour pi Vapour pi	ion on basic physic plete information see in nce: state at 68 °F: nce: reshold: r: pint at atmospheric pro- ressure at 68 °F: ressure at 122 °F:	al and chemical proper the product datasheet.	ties: Liquid Fluid Odorless Not applicabl 10000 Pa Not applicabl	e (N/A) * e (N/A) *	sive
1 Informati For comp Appearan Physical s Appearan Color: Odor: Odor: Odour thr Volatility Boiling po Vapour pi Vapour pi Evaporati	ion on basic physic plete information see in nce: state at 68 °F: nce: reshold: r point at atmospheric pr ressure at 68 °F: ressure at 122 °F: ion rate at 68 °F:	al and chemical proper the product datasheet.	rties: Liquid Fluid Blue Odorless Not applicabl Not applicabl 10000 Pa	e (N/A) * e (N/A) *	sive
1 Informati For comp Appearan Physical s Appearan Color: Odour thr Volatility Boiling por Vapour pr Vapour pr Evaporati Product of	ion on basic physic olete information see ince: state at 68 °F: nce: reshold: r: bint at atmospheric pri ressure at 68 °F: ressure at 122 °F: ion rate at 68 °F: description:	al and chemical proper the product datasheet.	rties: Liquid Fluid Blue Odorless Not applicabl 10000 Pa Not applicabl Not applicabl	e (N/A) * e (N/A) *	Sive
1 Informati For comp Appearan Physical s Appearan Color: Odor: Odor: Odour thr Volatility Boiling po Vapour pr Vapour pr Evaporati Product o Density a	ion on basic physic plete information see ince: state at 68 °F: nce: reshold: r: pint at atmospheric provide ressure at 68 °F: ressure at 122 °F: ion rate at 68 °F: description: t 68 °F:	al and chemical proper the product datasheet.	ties: Liquid Fluid Odorless Not applicabl 10000 Pa Not applicabl	e (N/A) * e (N/A) *	sive
.1 Informati For comp Appearan Physical s Appearan Color: Odour thr Volatility Boiling po Vapour pi Vapour pi Evaporati Product o Density a Relative o	ion on basic physic olete information see ince: state at 68 °F: nce: reshold: r: bint at atmospheric pri ressure at 68 °F: ressure at 122 °F: ion rate at 68 °F: description:	al and chemical proper the product datasheet.	rties: Liquid Fluid Blue Odorless Not applicabl 10000 Pa Not applicabl Not applicabl Not applicabl Not applicabl	e (N/A) * e (N/A) *	sive
.1 Informati For comp Appearan Physical s Appearan Color: Odour thr Volatility Boiling por Vapour pr Vapour pr Evaporati Product of Density a Relative of Dynamic	ion on basic physic plete information see in nce: state at 68 °F: nce: reshold: r: point at atmospheric pur ressure at 68 °F: ressure at 122 °F: ion rate at 68 °F: description: t 68 °F: density at 68 °F:	al and chemical proper the product datasheet.	rties: Liquid Fluid Blue Odorless Not applicabl 10000 Pa Not applicabl Not applicabl Not applicabl 1020 kg/m ³ 1.1	e (N/A) * e (N/A) * e (N/A) *	sive
 Informati For comp Appearat Physical s Appearat Color: Odor: Odour thr Volatility Boiling por Vapour pr Evaporati Product of Density a Relative of Dynamic Kinematio 	ion on basic physic plete information see ince: state at 68 °F: nce: reshold: tont at atmospheric print ressure at 68 °F: ressure at 122 °F: ion rate at 68 °F: description: t 68 °F: density at 68 °F: viscosity at 68 °F:	al and chemical proper the product datasheet.	rties: Liquid Fluid Dela Dodorless Not applicabl 10000 Pa Not applicabl Not applicabl Not applicabl 1020 kg/m ³ 1.1 3000 cP	e (N/A) * e (N/A) * e (N/A) *	sive
.1 Informati For comp Appearan Physical s Appearan Color: Odor: Odor: Odour thr Volatility Boiling po Vapour pr Vapour pr Evaporati Product o Density a Relative o Dynamic Kinematio	ion on basic physic plete information see ince: state at 68 °F: nce: reshold: r: point at atmospheric pur ressure at 68 °F: ressure at 122 °F: ion rate at 68 °F: description: t 68 °F: density at 68 °F: viscosity at 68 °F: c viscosity at 68 °F:	al and chemical proper the product datasheet.	rties: Liquid Fluid Blue Odorless Not applicabl Not applicabl Not applicabl Not applicabl 1020 kg/m ³ 1.1 3000 cP Not applicabl	e (N/A) * e (N/A) * e (N/A) * e (N/A) *	sive
1 Informati For comp Appearan Physical s Appearan Color: Odour thr Volatility Boiling po Vapour pi Vapour pi Vapour pi Evaporati Product o Density a Relative o Dynamic Kinematio	ion on basic physic plete information see ince: state at 68 °F: nce: reshold: r: point at atmospheric pur ressure at 68 °F: ressure at 122 °F: ion rate at 68 °F: description: t 68 °F: density at 68 °F: viscosity at 68 °F: c viscosity at 68 °F:	al and chemical proper the product datasheet.	rties: Liquid Fluid Blue Odorless Not applicabl Not applicabl Not applicabl Not applicabl 1020 kg/m ³ 1.1 3000 cP Not applicabl Not applicabl Not applicabl	e (N/A) * e (N/A) * e (N/A) * e (N/A) * e (N/A) * e (N/A) *	sive
.1 Informati For comp Appearan Physical s Appearan Color: Odor: Odour thr Volatility Boiling po Vapour pi Vapour pi Evaporati Product o Density a Relative o Dynamic Kinematic Concentra pH:	ion on basic physic plete information see ince: state at 68 °F: nce: reshold: r: point at atmospheric pur ressure at 68 °F: ressure at 122 °F: ion rate at 68 °F: description: t 68 °F: density at 68 °F: viscosity at 68 °F: c viscosity at 68 °F:	al and chemical proper the product datasheet.	rties: Liquid Fluid Dela Dodorless Not applicabl 10000 Pa Not applicabl Not applicabl 1020 kg/m ³ 1.1 3000 cP Not applicabl Not applicabl Not applicabl Not applicabl	e (N/A) * e (N/A) * e (N/A) * e (N/A) * e (N/A) * e (N/A) * e (N/A) *	sive

- CONTINUED ON NEXT PAGE -



Safety data sheet according to 29 CFR 1910.1200

210105250 - SHUSIL SOFT A10 (B) 250 ML



Printing:	12/12/2024	Date of compilation: 7/11/2023	Revised: 8/25/2023	Version: 2 (Replaced 1)
SEC	TION 9: PHYS	SICAL AND CHEMICAL PROPER	RTIES (continued)	
	Solubility in wa	ter at 68 °F:	Not applicable (N/A) *	
	Solubility prope		Not applicable (N/A) *	
	Decomposition		Not applicable (N/A) *	
	Melting point/fre	•	Not applicable (N/A) *	
	Flammability:			
	Flash Point:		>212 ºF	
	Flammability (s	olid, gas):	Not applicable (N/A) *	
	Autoignition ter	nperature:	ca. 1040 °F	
	Lower flammab	ility limit:	4 % Volume	
	Upper flammab	ility limit:	74 % Volume	
	Particle chara	cteristics:		
	Median equival	ent diameter:	Non-applicable	
9.2	Other information	tion:		
	Information wi	ith regard to physical hazard classes	s:	
	Explosive prope	erties:	Not applicable (N/A) *	
	Oxidising prope	erties:	Not applicable (N/A) *	
	Corrosive to me	etals:	Not applicable (N/A) *	
	Heat of combus	stion:	Not applicable (N/A) *	
	Aerosols-total p components:	percentage (by mass) of flammable	Not applicable (N/A) *	
	Other safety c	haracteristics:		
	Surface tensior	n at 68 ºF:	Not applicable (N/A) *	
	Refraction inde	x :	Not applicable (N/A) *	
	*Not applicable (N	(A) due to the nature of the product, not provid	ing information property of its haza	ards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

				a #
Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong base

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION	11: TOXICO	LOGICAL INF	ORMATION





Safety data sheet according to 29 CFR 1910.1200 210105250 - SHUSIL SOFT A10 (B) 250 ML Printing: 12/12/2024 Date of compilation: 7/11/2023 Revised: 8/25/2023 Version: 2 (Replaced 1) SECTION 11: TOXICOLOGICAL INFORMATION (continued) 11.1 Information on toxicological effects: The experimental information related to the toxicological properties of the product itself is not available Dangerous health implications: In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure: A- Indestion (acute effect): Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3 Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. B- Inhalation (acute effect): - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3. Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. C- Contact with the skin and the eyes (acute effect): - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3. Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction): - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3. IARC: Not applicable (N/A) Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Suspected of damaging fertility or the unborn child E- Sensitizing effects: - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. F- Specific target organ toxicity (STOT) - single exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. G- Specific target organ toxicity (STOT)-repeated exposure: - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. H- Aspiration hazard: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Other information: Not applicable (N/A) Specific toxicology information on the substances: Identification Genus Acute toxicity Octamethylcyclotetrasiloxane LD50 oral 61440 mg/kg Rat 10000 mg/kg Rabbit CAS: 556-67-2 LD50 dermal LC50 inhalation >20 mg/L

Acute Toxicity Estimate (ATE mix):

	ATE mix	Ingredient(s) of unknown toxicity
Oral	>5000 mg/kg (Calculation method)	Non-applicable



Safety data sheet according to 29 CFR 1910.1200

210105250 - SHUSIL SOFT A10 (B)

250 ML



Printing: 12/12/2024 Date of compilation: 7/11/2023 Revised: 8/25/2023 Version: 2 (Replaced 1) SECTION 11: TOXICOLOGICAL INFORMATION (continued) Dermal >5000 mg/kg (Calculation method) Non-applicable >20 mg/L (4 h) (Calculation method) Inhalation Non-applicable SECTION 12: ECOLOGICAL INFORMATION The experimental information related to the eco-toxicological properties of the product itself is not available Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Ecotoxicity (aquatic and terrestrial, where available): 12.1 Acute toxicity: Identification Concentration Species Genus LC50 Octamethylcyclotetrasiloxane 500 mg/L (96 h) Brachydanio rerio Fish EC50 CAS: 556-67-2 Not applicable (N/A) EC50 Not applicable (N/A) Chronic toxicity: Identification Concentration Species Genus NOEC 0.0044 mg/L Octamethylcyclotetrasiloxane Oncorhynchus mykiss Fish CAS: 556-67-2 NOEC 0.015 mg/L Daphnia magna Crustacean 12.2 Persistence and degradability: Not available 12.3 **Bioaccumulative potential:** Substance-specific information: Identification Bioaccumulation potential BCF 12400 Octamethylcyclotetrasiloxane CAS: 556-67-2 Pow Log 4.45 Potential Very High 12.4 Mobility in soil: Identification Volatility Absorption/desorption Not applicable (N/A) Not applicable (N/A) Octamethylcyclotetrasiloxane Koc Henry Conclusion Not applicable (N/A) Not applicable (N/A) CAS: 556-67-2 Dry soil Surface tension 1.819E-2 N/m (77 °F) Moist soil Not applicable (N/A) 12.5 Results of PBT and vPvB assessment: Non-applicable Other adverse effects: 12.6 Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

IT IS THE RESPONSIBILITY OF THE WASTE GENERATOR TO EVALUATE WHETHER HIS WASTES ARE HAZARDOUS BY CHARACTERISTICS OR LISTING.

Waste management (disposal and evaluation):

Follow RCRA framework and EPA regulation for to ensure that hazardous waste is managed safely and properly. Waste should not be disposed of to drains. Remind, It is the responsibility of the waste generator to evaluate whether his wastes are hazardous by characteristics or listing. See section 6 for further information about Accidental release measures.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Solid Wastes - Part 239 through 282.

State regulatory requirements for generators may be more stringent than those in the federal program. Be sure to check the state's policies.



Safety data sheet according to 29 CFR 1910.1200

210105250 - SHUSIL SOFT A10 (B)

250 ML

Printing: 12/12/2024 Date of compilation: 7/11/2023 Revised: 8/25/2023 Version: 2 (Replaced 1) SECTION 14: TRANSPORT INFORMATION Transport of dangerous goods by land: With regard to 49 CFR on the Transport of Dangerous Goods: 14.1 UN number: Not applicable (N/A) 14.2 UN proper shipping name: Not applicable (N/A) 14.3 Transport hazard class(es): Not applicable (N/A) Labels: Not applicable (N/A) 14.4 Packing group, if applicable: Not applicable (N/A) 14.5 Marine pollutant: No Special precautions which a user needs to be aware of, or needs to comply with, in connection 14.6 with transport or conveyance either within or outside their premises Physico-Chemical properties: see section 9 14.7 Transport in bulk (according to Not applicable (N/A) Annex II of MARPOL 73/78 and the IBC Code): Transport of dangerous goods by sea: With regard to IMDG 41-22: UN number: Not applicable (N/A) 14.1 14.2 UN proper shipping name: Not applicable (N/A) Transport hazard class(es): Not applicable (N/A) 14.3 Labels: Not applicable (N/A) 14.4 Packing group, if applicable: Not applicable (N/A) 14.5 Marine pollutant: No Special precautions which a user needs to be aware of, or needs to comply with, in connection 14.6 with transport or conveyance either within or outside their premises Special regulations: Not applicable (N/A) EmS Codes: Physico-Chemical properties: see section 9 Limited quantities: Not applicable (N/A) Not applicable (N/A) Segregation group: 14.7 Transport in bulk (according to Not applicable (N/A) Annex II of MARPOL 73/78 and the IBC Code): Transport of dangerous goods by air: With regard to IATA/ICAO 2024: 14.1 **UN number:** Not applicable (N/A) 14.2 UN proper shipping name: Not applicable (N/A) Transport hazard class(es): Not applicable (N/A) 14.3 Labels: Not applicable (N/A) 14.4 Packing group, if applicable: Not applicable (N/A) 14.5 Marine pollutant: No 14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises Physico-Chemical properties: see section 9 Transport in bulk (according to Not applicable (N/A) 14.7 Annex II of MARPOL 73/78 and the IBC Code):

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:



Safety data sheet according to 29 CFR 1910.1200



Printing: 12/12/2024

210105250 - SHUSIL SOFT A10 (B) 250 ML



Revised: 8/25/2023

Version: 2 (Replaced 1)

SECTION 15: REGULATORY INFORMATION (continued) - CALIFORNIA LABOR CODE - The Hazardous Substances List: Not applicable (N/A) - California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Birth defects or other reproductive harm: Not applicable (N/A) - California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Cancer: Not applicable (N/A) - CANADA-Domestic Substances List (DSL): Octamethylcyclotetrasiloxane (556-67-2) - CANADA-Non-Domestic Substances List (NDSL): Not applicable (N/A) - Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities: Not applicable (N/A) - Hazardous Air Pollutants (Clean Air Act): Not applicable (N/A) - Massachusetts RTK - Substance List: Not applicable (N/A) - Minnesota - Hazardous substances ERTK: Not applicable (N/A) - New Jersey Worker and Community Right-to-Know Act: Not applicable (N/A) - New York RTK - Substance list: Not applicable (N/A) - NTP (National Toxicology Program): Not applicable (N/A) - OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Not applicable (N/A) - Pennsylvania Worker and Community Right-to-Know Law: Not applicable (N/A) - Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Octamethylcyclotetrasiloxane (556-67-2) - Rhode Island - Hazardous substances RTK: Not applicable (N/A)

- The Toxic Substances Control Act (TSCA) : Octamethylcyclotetrasiloxane (556-67-2) - Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): Not applicable (N/A)

Specific provisions in terms of protecting people or the environment:

Date of compilation: 7/11/2023

It is recommended to use the information provided in this safety data sheet as a foundation for conducting workplace-specific risk assessments. These assessments will help establish the appropriate risk prevention measures for handling, using, storing, and disposing of this product.

Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

Texts of the legislative phrases mentioned in section 2:

H361: Suspected of damaging fertility or the unborn child.

Advice related to training:

According to 29 CFR 1910. 1200, training on chemical hazards is necessary for employees using this product. This training will facilitate their understanding and interpretation of the safety data sheet, as well as the product label.

Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

Abbreviations and acronyms:

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 CL50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon IARC: International Agency for Research on Cancer

Date of compilation: 7/11/2023 Revised: 8/25/2023

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).